


## 1. Product and Company Identification

**Product Name** LYSOL® Brand III I.C.™ Disinfectant Spray  
**CAS #** Mixture  
**Product use** Disinfectant  
**Distributed by** Reckitt Benckiser  
 Morris Corporate Center IV  
 399 Interpace Parkway  
 P.O. Box 225  
 Parsippany, NJ 07054-0225  
 In Case of Emergency: 1-800-338-6167  
 Transportation Emergencies: 24 Hour Number:  
 North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	3
Physical Hazard	0
Personal Protection	B



## 2. Hazards Identification

### Emergency overview

This product is regulated by the US EPA as a disinfectant.  
**PRECAUTIONARY STATEMENTS:** Hazards to humans and domestic animals.  
**CAUTION**  
 Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.  
**PHYSICAL HAZARDS: FLAMMABLE**  
 Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.  
**KEEP OUT OF REACH OF CHILDREN.**

### Potential short term health effects

<b>Routes of exposure</b>	Eye, Skin contact, Inhalation, Ingestion.
<b>Eyes</b>	Causes moderate eye irritation.
<b>Skin</b>	Moderately irritating to the skin.
<b>Inhalation</b>	None expected during normal conditions of use. However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
<b>Ingestion</b>	Contains denatured ethyl alcohol. May be harmful if swallowed.
<b>Target organs</b>	Blood. Liver. Respiratory system. Central nervous system. Heart.
<b>Chronic effects</b>	Prolonged or repeated exposure can cause drying, defatting and dermatitis.
<b>Signs and symptoms</b>	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
<b>OSHA Regulatory Status</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
<b>Potential environmental effects</b>	Components of this product have been identified as having potential environmental concerns.

### 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol	64-17-5	40 - 60
Butane	106-97-8	2.5 - 10
Propane	74-98-6	1 - 2.5
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not Applicable	0 - 0.1

### 4. First Aid Measures

#### First aid procedures

**Eye contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**Skin contact**

Wash off immediately with soap and plenty of water for at least 15 minutes. All contaminated clothes and shoes are to be removed and washed before reuse. If symptoms persist, call a physician.

**Inhalation**

Move exposed person to fresh air. Get medical attention immediately.

**Ingestion**

If swallowed, call physician or Poison Control Centre immediately.

**Notes to physician**

Contains denatured ethanol; ingestion may result in ethanol poisoning. Symptoms may be delayed. Treat patient symptomatically.

**General advice**

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

### 5. Fire Fighting Measures

**Flammable properties**

Flammable aerosol by flame projection test. Aerosol flame extension less than 18 inches (45 cm). Containers may explode when heated.

NFPA AEROSOL LEVEL: Flammability Rating 1, per NFPA 30B

**Extinguishing media****Suitable extinguishing media**

Water spray. Dry chemical. Carbon dioxide.

**Unsuitable extinguishing media**

Not available

**Protection of firefighters****Specific hazards arising from the chemical**

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

**Protective equipment for firefighters**

Firefighters should wear full protective clothing including self contained breathing apparatus.

**Hazardous combustion products**

May include and are not limited to: Oxides of carbon.

**Explosion data**

**Sensitivity to mechanical impact** Not available

**Sensitivity to static discharge** Not available.

### 6. Accidental Release Measures

**Personal precautions**

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

**Methods for containment**

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

**Methods for cleaning up**

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

## 7. Handling and Storage

**Handling**

Ensure adequate ventilation.  
 Wear appropriate personal protective equipment when handling this product.  
 Wash hands after handling and before eating.  
 Avoid contact with eyes, skin and clothing.  
 Do not ingest.  
 Avoid breathing vapors or mists of this product.  
 CONTENTS UNDER PRESSURE. DO NOT use in presence of open flame or spark. DO NOT puncture or incinerate container or store at temperatures over 50°C. DO NOT use on polished wood furniture, rayon fabrics, or acrylic plastics. Avoid contact with eyes and food. EXTREMELY FLAMMABLE  
 Contents under pressure.  
 Do not puncture or incinerate container.

**Storage**

Store in original container in areas inaccessible to small children.  
 STORE IN A COOL PLACE AND AWAY FROM DIRECT SUNLIGHT.  
 Keep away from heat, open flames or other sources of ignition.  
 Do not reuse container.  
 Do not puncture or incinerate container.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## 8. Exposure Controls / Personal Protection

**Exposure limits****Ingredient(s)****Exposure Limits**

Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate

**ACGIH-TLV**  
 Not established  
**OSHA-PEL**  
 Not established

Butane

**ACGIH-TLV**  
 TWA: 1000 ppm  
**OSHA-PEL**  
 Not established

Ethanol

**ACGIH-TLV**  
 TWA: 1000 ppm  
 STEL: 1000 ppm  
**OSHA-PEL**  
 TWA: 1000 ppm

Propane

**ACGIH-TLV**  
 TWA: 1000 ppm  
**OSHA-PEL**  
 TWA: 1000 ppm

**Engineering controls**

Provide adequate ventilation.

**Personal protective equipment****Eye / face protection**

Avoid contact with eyes. tightly fitting safety goggles  
 Emergency responders should wear full eye and face protection.

<b>Hand protection</b>	Not normally required when used as directed. Avoid contact with the skin. Emergency responders should wear impermeable gloves.
<b>Skin and body protection</b>	As required by employer code.
<b>Respiratory protection</b>	Not normally required if good ventilation is maintained. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2). Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Misty spray
<b>Color</b>	Clear
<b>Form</b>	Aerosol
<b>Odor</b>	Characteristic
<b>Odor threshold</b>	Not available
<b>Physical state</b>	Gas
<b>pH</b>	10.8 - 11.8
<b>Freezing point</b>	Not available
<b>Boiling point</b>	Not available
<b>Pour point</b>	Not available
<b>Evaporation rate</b>	Not available
<b>Flash point</b>	78.08 °F (25.6 °C)
<b>Auto-ignition temperature</b>	Not available
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability limits in air, upper, % by volume</b>	Not available
<b>Vapor pressure</b>	Not available
<b>Vapor density</b>	Not available
<b>Specific gravity</b>	0.882 @ 25°C (Concentrate)
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	Complete
<b>VOC (Weight %)</b>	Not available
<b>Viscosity</b>	Not available
<b>Percent volatile</b>	Not available

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	This product may react with strong oxidizing agents.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Heat, open flames, static discharge, sparks and other ignition sources. Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not freeze. Exposure to moisture.
<b>Incompatible materials</b>	Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.

## 11. Toxicological Information

### Component analysis - LC50

Ingredient(s)	LC50
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not available
Butane	Not available
Ethanol	31623 ppm rat
Propane	Not available

### Component analysis - Oral LD50

Ingredient(s)	LD50
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not available
Butane	Not available
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Propane	Not available

### Effects of acute exposure

<b>Eye</b>	Causes moderate eye irritation.
<b>Skin</b>	Moderately irritating to the skin.
<b>Inhalation</b>	None expected during normal conditions of use. However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
<b>Ingestion</b>	Contains denatured ethyl alcohol. May be harmful if swallowed.
<b>Sensitization</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.

#### ACGIH - Threshold Limit Values - Carcinogens

Ethanol	64-17-5	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
---------	---------	---

<b>Mutagenicity</b>	The finished product is not expected to have chronic health effects.
<b>Reproductive effects</b>	The finished product is not expected to have chronic health effects.
<b>Teratogenicity</b>	The finished product is not expected to have chronic health effects.
<b>Name of Toxicologically Synergistic Products</b>	Not available

## 12. Ecological Information

<b>Ecotoxicity</b>	Components of this product have been identified as having potential environmental concerns.	
<b>Ecotoxicity - Freshwater Fish - Acute Toxicity Data</b>		
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]
<b>Ecotoxicity - Water Flea - Acute Toxicity Data</b>		
Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]
<b>Persistence / degradability</b>	Not available	
<b>Bioaccumulation / accumulation</b>	Not available	
<b>Mobility in environmental media</b>	Not available	
<b>Environmental effects</b>	Not available	
<b>Aquatic toxicity</b>	Not available	
<b>Partition coefficient</b>	Not available	
<b>Chemical fate information</b>	Not available	

---

## 13. Disposal Considerations

---

<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency for disposal instructions.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

---

## 14. Transport Information

---

### U.S. Department of Transportation (DOT)

UN1950, Aerosols, flammable, Class 2.1 Re-Classed as Limited Quantity

### Transportation of Dangerous Goods (TDG - Canada)

UN1950, Aerosols, flammable, Class 2.1 Re-Classed as Limited Quantity

### IMDG (Marine Transport)

UN 1950, Aerosols, flammable, Class 2.1

UN 1950, Aerosols, Flammable, Limited Quantity or

Consumer Commodity, ID 8000 if acceptable to airline.

---

## 15. Regulatory Information

---

### Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

### US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
Product Registration: Registered with EPA, EPA Reg. No. 777-99-675

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - Yes  
Pressure Hazard - Yes  
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

**State regulations** See below

**U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances**

Butane 106-97-8 Present

**U.S. - Massachusetts - Right To Know List**

Butane 106-97-8 Present  
Ethanol 64-17-5 Teratogen  
Propane 74-98-6 Present

**U.S. - Minnesota - Hazardous Substance List**

Butane 106-97-8 Present  
Ethanol 64-17-5 Present  
Propane 74-98-6 Simple asphyxiant

**U.S. - New Jersey - Right to Know Hazardous Substance List**

Butane 106-97-8 sn 0273  
Ethanol 64-17-5 sn 0844  
Propane 74-98-6 sn 1594

**U.S. - Pennsylvania - RTK (Right to Know) List**

Butane 106-97-8 Present  
Ethanol 64-17-5 Present  
Propane 74-98-6 Present

**U.S. - Rhode Island - Hazardous Substance List**

Butane 106-97-8 Toxic; Flammable  
Ethanol 64-17-5 Toxic; Flammable  
Propane 74-98-6 Toxic; Flammable

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

---

## 16. Other Information

---

**Disclaimer**

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Further information**

LYSOL® Brand III I.C.™ Disinfectant Spray - 19oz. - Crisp Linen - 0271639 v1.0

**Issue date**

17-May-2012

**Effective date**

15-Mar-2012

**Prepared by**

Reckitt Benckiser Regulatory Department 800-333-3899

**Other information**

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.