

**Effective
Against
COVID-19***

STRIKE FORCE™

One-Step RTU Disinfectant

For Hospitals, Restaurants, Institutional and Industrial Use

Before use, consult product label for directions on product application and cleaning procedures.

This product is an EPA registered, ready-to-use disinfectant-cleaner-virucide-fungicide-mildewstat-deodorizer for use on hard, nonporous surfaces in medical settings such as hospitals, nursing homes, doctor's offices and urgent care facilities. Also designed for disinfection and cleaning in non-medical areas such as schools, daycare, hotels, health clubs, gyms, airplanes, cruise ships, public transportation vehicles and facilities, government buildings, jails and correctional facilities, gas stations, retail stores, restaurants and food processing plants. This product also provides disinfection and cleaning in veterinary practices, zoos, pet shops and kennels. Effective against a broad spectrum of listed bacteria, viruses, fungi and animal viruses:

Bacteria: *Acinetobacter baumannii*, *Campylobacter jejuni*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Enterococcus faecalis* - Vancomycin Resistant (VRE), *Escherichia coli*, *ESBL Escherichia coli*, *Klebsiella pneumoniae*, *Legionella pneumophila*, *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Staphylococcus aureus* - Community Associated Methicillin Resistant (CA-MRSA), *Staphylococcus aureus* - Methicillin-Resistant (MRSA), *Staphylococcus aureus* - Vancomycin Intermediate Resistant (VISA), *Streptococcus pyogenes*, *Vibrio cholerae*.

Viruses: *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1 (AIDS Virus), *Human Coronavirus, *Influenza Virus Type A/Brazil, *Influenza Virus Type A/Hong Kong, *2013 Influenza A Virus (H7N9), *SARS Associated Coronavirus (SARS), *Vaccinia, *Norwalk Virus (Norovirus), *Rotavirus. Kills Pandemic 2009 H1N1 Influenza A Virus.

*** This product is included on EPA's List N of disinfectants that meet the criteria for use against COVID-19***

Fungi: *Aspergillus niger*, *Aspergillus fumigatus*, *Trichophyton mentagrophytes* (the Athlete's Foot Fungus)

Animal Viruses: Canine Distemper Virus, Feline Calicivirus, Murine Norovirus, Newcastle's Disease Virus, Pseudorabies Virus.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Consult the product label before use to determine application and cleaning procedures, as well as precautionary statements, first aid, environmental hazards, handling, storage and disposal information.

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD & MILDEW CONTROL DIRECTIONS: Apply this product undiluted to hard, nonporous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. **For Influenza Virus Type A and Human Coronavirus**, treated surfaces must remain wet for 1 minute. Wipe dry with a cloth, sponge, mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For Fungicidal Activity: This product is an effective one-step fungicide against *Trichophyton mentagrophytes* when used on hard nonporous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surfaces to remain wet for 10 minutes.

For Mold and Mildew: Repeat treatment every 7 days or more often if new growth appears.

VETERINARY PRACTICE/ANIMAL CARE/ZOOS/PET SHOPS/KENNELS DISINFECTION/VIRUCIDAL* DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries, pens, stalls and etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, pens, stalls and etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with this product for a period of 10 minutes. Wipe or allow to air dry. Immerse all halters, ropes, and other types or equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Thoroughly scrub all treated surfaces, then rinse all surfaces that come into contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings, animal enclosures, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

TO CLEAN AND DEODORIZE: Spray directly on surface to be cleaned. Wipe or allow to air dry.

Safety Reminder

Consult product label and Safety Data Sheet (SDS) before use. SDS's may be downloaded from www.crown-chem.com.



Technical Specifications

Appearance	Blue Liquid
Odor	Ocean Fresh
pH (full strength, 22°C)	<11.0
Foaming	Moderate
Flash Point	None
Density (lbs/gal, 22°C)	8.33 ±0.1
Stability Range	40-100°F
Free Alkalinity (as Na2O)	Low
Solubility (in H2O, 22°C)	100%
Phosphate Content (as P)	None

Product Number

33006
33041
33005
33030
33055
330TB

Packaging

6x1 qt. case*
4x1 gal. case
5 gal. pail
30 gal. drum
55 gal. drum
275 gal. tote

*One sprayer included per case