

Test Report No. 3695530TX-01 Date: March 02, 2015 Page 1 of 4

PACIFIC PLAY TENTS, INC. 2801 E. 12th Street Los Angeles, CA 90022

Attn: Christa Chaves

Dassouttn

The following (6) items were submitted and identified by the client as:

Sample Description : Cozy Shades - Pacific Play Tents, Inc.

Style # : #22510 / #22512 / #22513 / #22515

Color : Green, Purple, Blue, Striped Green

Country(ies) of Sale : USA

Labeled Age Grading : N/A

Sample Receiving Date : February 24, 2015

Test Performing Date(s) : February 25 - March 02, 2015

Test Performed : Selected test(s) as requested by applicant against

specified requirement / test request form / quotation.

* *

Test Results : Please refer to the following page(s).

Signed for and on behalf of SGS North America Inc.

Much

Prashanthi Alapati Greg S. Kolbeck

Supervisor – Textile Laboratory

Greg 5. Kolbeck

Manager – Textile Laboratory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a minimum of 45 days only.

SGS North America, Inc.

Consumer Testing Services 291 Fairfield Avenue, Fairfield, NJ 07004 t (973) 575-5252 f (973) 575-7175 www.sgs.com

Member of the SGS Group



Test Report

No. 3695530TX-01

Date: March 02, 2015

Page 2 of 4

Test Result(s):

Flame Propagation of Textiles and Films

NFPA 701 Test Method 1 Small Scale - 2010 Edition

Sample ID: Green

Specimen	Original Wt. (grams)	Post Wt. (grams)	After Flame (seconds)	Residues (seconds)	Wt. Loss (percent)
1	3.7	2.5	0.0	0.0	32.4
2	3.8	2.4	0.0	0.0	36.8
3	3.9	2.6	0.0	0.0	33.3
4	3.7	2.0	0.0	0.0	45.9
5	3.7	2.2	0.0	0.0	40.5
6	3.7	2.2	0.0	0.0	40.5
7	3.6	2.4	0.0	0.0	33.3
8	3.6	2.7	0.0	0.0	25.0
9	3.7	2.4	0.0	0.0	35.1
10	3.8	2.2	0.0	0.0	42.1
			AVG	0.0	36.5
			3STDEV		18.0
			AVG+3STDEV		54.5

Requirements:

Fragments or residues of specimens that fall to the floor of the test chamber shall not continue to burn for more than an average of 2 seconds per specimen for the sample of 10 specimens. The average weight loss of the 10 specimens in a sample shall be 40% or less. No individual specimen's mass loss percent shall deviate more than 3 standard deviations from the mean for the 10 specimens.

Conclusion:

The submitted sample **meets** the requirements of NFPA 701 Test Method 1 - 2010 Edition, when tested in its original state.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a minimum of 45 days only.

SGS North America, Inc.

Consumer Testing Services 291 Fairfield Avenue, Fairfield, NJ 07004 t (973) 575-5252 f (973) 575-7175 www.sgs.com

Member of the SGS Group



Test Report

No. 3695530TX-01

Date: March 02, 2015 Page 3 of 4

Flame Propagation of Textiles and Films

NFPA 701 Test Method 1 Small Scale - 2010 Edition

Sample ID: Purple

Specimen	Original Wt. (grams)	Post Wt. (grams)	After Flame (seconds)	Residues (seconds)	Wt. Loss (percent)
1	3.7	2.4	0.0	0.0	35.1
2	3.7	2.4	0.0	0.0	35.1
3	3.7	2.1	0.0	0.0	43.2
4	3.7	2.5	0.0	0.0	32.4
5	3.7	2.5	0.0	0.0	32.4
6	3.8	2.3	0.0	0.0	39.5
7	3.7	2.5	0.0	0.0	32.4
8	3.8	2.4	0.0	0.0	36.8
9	3.7	2.2	0.0	0.0	40.5
10	3.8	2.5	0.0	0.0	34.2
			AVG	0.0	36.2
			3STDEV		11.3
			AVG+3STDEV		47.5

Requirements:

Fragments or residues of specimens that fall to the floor of the test chamber shall not continue to burn for more than an average of 2 seconds per specimen for the sample of 10 specimens. The average weight loss of the 10 specimens in a sample shall be 40% or less. No individual specimen's mass loss percent shall deviate more than 3 standard deviations from the mean for the 10 specimens.

Conclusion:

The submitted sample **meets** the requirements of NFPA 701 Test Method 1 - 2010 Edition, when tested in its original state.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a minimum of 45 days only.

SGS North America, Inc.

Consumer Testing Services

291 Fairfield Avenue, Fairfield, NJ 07004

t (973) 575-5252

f (973) 575-7175

www.sgs.com

Member of the SGS Group



Test Report

No. 3695530TX-01 Date: March 02, 2015

Page 4 of 4

Flame Propagation of Textiles and Films

NFPA 701 Test Method 1 Small Scale - 2010 Edition

Sample ID: Blue

Specimen	Original Wt. (grams)	Post Wt. (grams)	After Flame (seconds)	Residues (seconds)	Wt. Loss (percent)
1	3.7	2.4	0.0	0.0	35.1
2	3.7	2.2	0.0	0.0	40.5
3	3.7	2.5	0.0	0.0	32.4
4	3.7	2.5	0.0	0.0	32.4
5	3.7	2.7	0.0	0.0	27.0
6	3.7	2.4	0.0	0.0	35.1
7	3.7	2.2	0.0	0.0	40.5
8	3.6	2.5	0.0	0.0	30.6
9	3.7	2.5	0.0	0.0	32.4
10	3.7	2.3	0.0	0.0	37.8
			AVG	0.0	34.4
			3STDEV		13.0
			AVG+3STDEV		47.4

Requirements:

Fragments or residues of specimens that fall to the floor of the test chamber shall not continue to burn for more than an average of 2 seconds per specimen for the sample of 10 specimens. The average weight loss of the 10 specimens in a sample shall be 40% or less. No individual specimen's mass loss percent shall deviate more than 3 standard deviations from the mean for the 10 specimens.

Conclusion:

The submitted sample **meets** the requirements of NFPA 701 Test Method 1 - 2010 Edition, when tested in its original state.

Selected tests as requested by applicant against specified requirement / test request form / quotation.

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a minimum of 45 days only.

SGS North America, Inc.

Consumer Testing Services 291 Fairfield Avenue, Fairfield, NJ 07004 t (973) 575-5252 f (973) 575-7175 www.sgs.com

Member of the SGS Group